

Aliah University

(A UGC & AICTE approved autonomous Institution under the Dept of MA&ME, GoWB) IIA/27, New Town, Rajarhat, Kolkata – 700 160, West Bengal

Web: www.aliah.ac.in

Date: 10/01/2019

NOTICE INVITING TENDER

Ref No 084/AU/REG/NIT/18-19

Sub: Sealed Tenders are invited from the bonafide and resourceful Contractors/Service Providers/Agents/Wholesalers/Suppliers for Supply and Installation Equipments and Goods for Smart Class of Dept of Islamic Theology (Girls Section) Aliah University Taltala Campus.

Aliah University, Kolkata a Premier Educational Institute under the Dept of MA&ME, GoWB, invites Sealed Tenders invited are from the bonafide and resourceful Contractors/Service Providers/Agents/Wholesalers/Suppliers for Supply and Installation Equipments and Goods for Smart Class of Dept of Islamic Theology (GIRLS Section) Aliah University Taltala Campus. The tentative quantity of the required items along with technical configuration of each items are mentioned at Annexure separately. Aliah University is looking for interested bidders who have experience in supplying of above type of materials. NIT document will be downloaded from Website of Aliah University, http://www.aliah.ac.in. Tender must be submitted on or before 25/01/2019 at 03 P.M at the Office of the Registrar, Aliah University, IIA/27, New Town, Kolkata- 700160, West Bengal, India by Speed-post/registered Post/by hand. Incomplete applications or applications received after the last date of submission will not be considered. **The** sealed envelope must be with super scribing the Name, e-mail, Contact No. of Tenderer, NIT Reference Number and Purpose of NIT. Interested bidders are requested to provide their Quotes following the format in Annexure- II in their official letter heads along with signed Compliance Statement and Price Bid (Annexure- III). They must read and accept Terms and Conditions and scope of work of this NIT as per Annexure- I. For any information in this regard please visit Dept of Islamic Theology (Girls Section) Aliah University Taltala Campus. Information may also seek from the following e-mails to registrar@aliah.ac.in; storeandpurchase.au@gmail.com and the emails will be forwarded to the respective Department.

S1.	Schedule	Date & Time
1	Date of uploading of NIT (Publishing Date) at Aliah University Website	17/01/2019 at 12 P.M
2	Bid submission start date	17/01/2019 at 02 P.M
3	Bid Submission closing	25/01/2019 at 03 P.M
	Techno Commercial Bid opening date (The Bid Opening date and time is tentative and could be open on availability of	Islamic Theology, Park Circus
	Concerned Committee Members)	Campus Aliah University 17, Gorachand Road, Kolkata-700 014

Sd/-Registrar Aliah University

ANNEXURE I: GENERAL TERMS & CONDITIONS

- 1. Supply and Installation Equipments and Goods for Smart Class to be done at Islamic Theology (GIRLS Section) Aliah University Taltala Campus, 21, Haji Md. Mohsin Square, Kolkata-700 016 within 21 working days of issuing work order.
- 2. The Tenderer should bear all the transportation & insurance **risk** till the on door delivery point. Selected bidder shall take all possible care for Govt. Property & of any damages due to negligence of his workers; the bidder/Agency shall be responsible for all such damages & repair the same at his own cost.
- 3. **The rates** so quoted must be inclusive of GST, Central Excise, customs Duty if any, packing freight to destination, Insurances, installation (if any), warranty and levies and necessary delivery at designated places at Aliah University and all charges. No extra charges will be entertained. Prices can be quoted in Indian Currency only (₹).No extra payment will be made for carrying of materials involving head load/ trolley etc.

4. Warranty as Per OEM must be stated in the quotation.

- 5. All necessaries cables and adapters for functioning of the equipments to be supplied
- 6. Supply of Items will be made in conformity with the specification & time as mentioned in the work order as decided by the authority. **No deviation in specification will be accepted**. After delivery of the materials to the respective points by selected bidder (s), authority reserves the right to collect the samples of supply the materials at random basis and send those materials for testing to ensure the quality of products etc. If it is found that materials are not according to the specification, the authority has every right to cancel the total lot or otherwise forfeit the security money, blacklisting the respective Manufacturer / Supplier and terminate the contract.
- 7. If any part of the service in respect of the work assigned and undertaken by you not rendered/delivered in time, Aliah University shall be entitled to levy and recover liquidated damages/ penalty at 1% per week or part thereof the delay/ default, subject to 5% maximum, on the payment due to the agency/contractor for the particular stage. Any delay beyond scheduled dates may attract higher penalty to be decided by the Aliah University
- 8. Partial quotations are not allowed for this tender i.e. bidder may quote all item. For overall item lowest bidder (L1) will be selected.
- 9. All disputes are subject to exclusive jurisdiction of competent Court and Forum in Kolkata, India only.
- 10. Any dispute arising out of this contract shall be referred to the Registrar, Aliah University, and if either of the parties hereto is dissatisfied with the decision, the dispute shall be referred to the decision of an Arbitrator, who should be acceptable to both the parties, to be appointed by the Vice-Chancellor of the University. The decision of such Arbitrator shall be final and binding on both the parties.
- 11. Payment Condition:-The prices shall be inclusive of all taxes & levies including GST and other statutory duties as applicable. Rate of taxes should be indicated separately in the Price Bid. Contract Price specified in Price Bid should be based on the taxes & duties and charges prevailing at the date one day prior to the last date of Bid submission. Statutory deduction, wherever applicable, shall be made from invoice as per government rules. Necessary certificate will be issued for such deductions. Bidder submitting a bid shall produce valid statutory documents / certificates with respect to GST, Income Tax, ROC, Prof. Tax, Trade Licence, etc. All such documents / certificates shall remain valid on the last date of tender submission. GST component of the invoice of the bidder may be kept on hold in case there is any mismatch / irregularity in GST return filling on the part of the bidder. 100% payment will be released after receiving of items in good order and condition and installation (if any) duly certified by the concern authority and immediately on receipt of payment from the Govt. Department (within 60 days from the submission of bills). Successful vendor should arrange to submit a performance security deposit in form of Performance Bank Guarantee to the tune of 10% amount of the total purchase value at the time of submitting the bill. This performance security deposit should be issued from any Nationalized Bank and validity of the same will be till 1 year or warranty period +60 days whichever is higher from the date of delivery of the material. The payment will be made by RTGS / FUND Transfer mode only. Advance payment not allowed. Hence, following information must be clearly written in the Price Bid for RTGS / FUND TRANSFER::
 - A. Name of the Firm with complete postal address
 - B. Name of the Bank with Branch where the Account exist
 - C. IFSC CODE
 - D. ACCOUNT No
 - E. PAN No
- 12. The Tenders are liable to be rejected if the fore going conditions are not complied with. The bid should be complete in all respects and duly signed wherever required. Incomplete and unsigned offer will not be accepted.
- 13. The products asked for should be of very high standard and preferably reputed brand and/or with **B.I.S/I.S.I** code.
- 14. All bidders must submit all Technical Documents as per Annexure II otherwise their bid may be cancelled.

Annexure II: Technical Bid Application Format (Please attach all relevant documents)

To, The Registrar Aliah University IIA/27, New Town, Kolkata-700 160

Sub: Application for Supply and Installation Equipments and Goods for Smart Class of Dept of Islamic Theology (GIRLS Section) Aliah University Taltala Campus

	Sir,					
	1. ABOUT THE ORGANIZATION					
1.1	Name of the Organization					
1.2	Name of Authorized Person					
1.3	Registered Office Address with telephone no. & email address					
1.4	Authorized Service Station Name,					

Ref: - _____N.I.T. Nodated

2. TECHNICAL DOCUMENTS

2.1 Company Registration No./Trade License No./Partnership Deed
No. (Please attach documentary evidence)

2.2 PAN Registration No (Please attach documentary evidence)

2.3 GST Registration No (Please attach documentary evidence)

number, e-mail

ANNEXURE III COMPLIANCE STATEMENT AND PRICE BID

SI	Item Description For any enquiry/ clarification /measurement bidders are requested to visit/Contact the site Department of Islamic Theology (GIRLS Section) Aliah University Taltala Campus, 21, Haji Md Mohsin Square, Kolkata-700 016	QTY and UNIT in pieces	Compliance to Tender specification whether YES/ NO	BASIC RATE (Unit Price X Unit)	GST in Amount and in %	TOTAL AMOUNT With Taxes Altogether
1	Digital White Interactive Board with installation Specification: (Technology: infrared 10 touchs; Total Size: 82"(Diagonal); Screen size: 78.8 inch Diogonal (active area); 6. Projection area: 1518 mm X 1138 mm (59.76 inch x 44.80 inch); Aspect ratio: 4:3; Mode of Operation: Finger/dummy pen Operation with multi touches capability Screen: Non glare Ceramic (For marker and virtual pen and finger both) Connection: USB A-B; Power: Through USB; Precision touch accuracy: 1 mm.; Calibration: 4,9 or 20 points; Surface area resolution: 32767 x 32767; Scan rate: 125 dot/sec; Packed contents list: 1 pen. 5 meter USB cable. Installation Brackets, and Installation guide; Operating system: Win XP/Win Vista/Win 7/Win 8/Win	1 no				
2	Multimedia Projector (Short Throw) with wall mount installation Specification: Technology – 3D Technology with NETWORKING Facility; TI DLP® technology/ 0.65" WXGA DMD Chip; Brightness - 3600 ANSI, Crestron Roomview; AMX Compatible; Resolution-WXGA Support Computer signal up to UXGA 60Hz; Aspect Ratio – 16:10 (Different type selectable); Contrast Ratio- 20000:1; Lamp Life – 7000 Hrs; Input/Output	1 no				

			1	
	Connection - VGA in x 2, HDMI x			
	1, Composite Video x 1, Audio			
	Input x 2, Audio output x 1, VGA			
	Out x 1, RS-232 control			
	interface x 1, USB (Mouse control/service) x			
	1, RJ45(LAN Control) x 1, Video			
	Compatibility - Full NTSC, PAL, SECAM,			
	HDTV, EDTV, SDTV, Digital Keystone +40°,			
	SXGA+,WXGA+,WXGA,UXGA,SXGA+,SXGA,			
	XGA,SVGA,VGA,VESA standards ,PC &			
	Macintosh compatible, Quick Resume;			
	Speaker , 10W x1 Speaker, Projection			
	Distance - 0.5m to 3.4m, Imaze Size - 44 ~			
	299 inch, Accessories – (Power Cord (by			
	region) Remote Control, Battery VGA cable,			
	Warranty Card (by region), User Manual CD.			
3	DOCUMENT CAMERA / Visualizer	1 no		
	Specification:	1		
	Camera: High definition; Effective Pixels:	1		
		1		
	2592 H X 1944 V; Frame Rate: 30 PS max;	1		
	Focus: Fix; Image Effects: Colour / B&W,	1		
	Negative, / Mirror freeze; Zoom : 32 X Total	1		
	zoom; Lamp: Top Light: Embeded LED			
	Lamp; Image Capture : Internal storage : 240			
	image; Max, External storage SDHC 32 GB			
	Max			
	9. Timer : Yes; Display Mode:			
	Sharp/Graphic/Motion/Microscope;			
	Capture Mode : Single, Continuous;			
	Recording: Yes (To SDHC Card); Resolution:			
	5 mega pixel; HDMI: 1 input; RGB: 1 input;			
	Extended storage facility;			
	Playback option; Advanced full HD image			
	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch			
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording.	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification:	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification:	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB /	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote.	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm.	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm. Must be accompany with	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm. Must be accompany with (a) (06) Six Speaker –	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm. Must be accompany with (a) (06) Six Speaker – Twin 6"x 4" column Speaker With LMT.	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm. Must be accompany with (a) (06) Six Speaker –	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm. Must be accompany with (a) (06) Six Speaker – Twin 6"x 4" column Speaker With LMT. (b) (01) One Wireless Handheld & lapel	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm. Must be accompany with (a) (06) Six Speaker – Twin 6"x 4" column Speaker With LMT. (b) (01) One Wireless Handheld & lapel microphones:	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm. Must be accompany with (a) (06) Six Speaker – Twin 6"x 4" column Speaker With LMT. (b) (01) One Wireless Handheld & lapel microphones: Receiver Dual Channel Non-Diversity	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm. Must be accompany with (a) (06) Six Speaker – Twin 6"x 4" column Speaker With LMT. (b) (01) One Wireless Handheld & lapel microphones: Receiver Dual Channel Non-Diversity Frequency response:50Hz-16KHz Polar	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm. Must be accompany with (a) (06) Six Speaker – Twin 6"x 4" column Speaker With LMT. (b) (01) One Wireless Handheld & lapel microphones: Receiver Dual Channel Non-Diversity Frequency response:50Hz-16KHz Polar Pattern (Hand mic):Cardioid Output	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm. Must be accompany with (a) (06) Six Speaker – Twin 6"x 4" column Speaker With LMT. (b) (01) One Wireless Handheld & lapel microphones: Receiver Dual Channel Non-Diversity Frequency response:50Hz- 16KHz Polar Pattern (Hand mic):Cardioid Output Individual Channel: XLR Mix out: 1/4" Jack	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm. Must be accompany with (a) (06) Six Speaker – Twin 6"x 4" column Speaker With LMT. (b) (01) One Wireless Handheld & lapel microphones: Receiver Dual Channel Non-Diversity Frequency response:50Hz-16KHz Polar Pattern (Hand mic):Cardioid Output	1 no		
4	Playback option; Advanced full HD image streaming via HDMI, 30 fps; One touch recording. Sound System with caller & Handheld wireless mike with installation Specification: (Amplifier – 100 Watts RMS Output at 4/8/16 Ohms. 70 & 100 Volts.; Inputs 4 Mic & 1 Aux 1 3 way Tone Control, 1 Master Control & 1 Output Bar Graph LED, 1 Horn / Speaker Switch; MP 3 Player with USB / MMC Card Slot with LCD Displays & Remote. Protection: DC Circuit breaker Protection: DC Circuit Breaker for Overload & AC Glass Fuse. Power Supply: AC 220v 50 Hz. / 12v Battery, Dimension: 416(W) x 320 (D) x 130 (H) mm. Must be accompany with (a) (06) Six Speaker – Twin 6"x 4" column Speaker With LMT. (b) (01) One Wireless Handheld & lapel microphones: Receiver Dual Channel Non-Diversity Frequency response:50Hz- 16KHz Polar Pattern (Hand mic):Cardioid Output Individual Channel: XLR Mix out: 1/4" Jack	1 no		

					T	
	the set)					
	(c) (01) One Wired Microphone with 6 Mtr.					
	Wire	1				
5	UPS (1 KVA)	1 no				
6	Ceramic Writing White Board	1 no				
	(Size: 6' x 4'; Anti-glare; Wall mount)	1				
7	Wooden Cabinet for storage all	1 no				
	accessories (like CPU, Amplifier,					
	Microphone, Visualizer, Remotes, Printer,					
	UPS etc.) of Smart Classroom					
	(Size - As 3ft/5.6ft; selves with single					
	locker & double key. Curtain with linen and installation	Aa nan				
8	(Hanging with Steel Rod)	As per site				
	(manging with Steel Rou)	requirme				
		nt				
9	Motorized Screen & Installation	1 no				
	(Anti-glare; 8' x 6'; Wireless Remote					
	Control)					
10	Portable Projector(Short Throw)					
	Specification:					
	Technology – 3D with networking facility; TI					
	DLP® technology/ 0.55" XGA DMD Chip;					
	Brightness - 3400 ANSI, Crestron Roomview;					
	AMX Compatible; Resolution- XGA Support					
	Computer signal up to UXGA (1600x1200) 60Hz; Aspect Ratio – 16:10 (Different type					
	selectable); Contrast Ratio - 20000:1; Lamp					
	Life – 6500 Hrs; Input/Output Connection -					
	VGA in x 2, HDMI x 1, Composite Video x 1,					
	Audio Input x 2, Audio output x 1, VGA Out					
	x 1, RS-232 control					
	interface x 1, USB (Mouse control/service) x					
	1, RJ45(LAN Control) x 1; Video					
	Compatibility - Full NTSC, PAL PAL-M, PAL-					
	N, SECAM, Digital Keystone +40°, Computer					
	compatibility- UXGA, SXGA+,SXGA,XGA,SVGA,VGA Compression,					
	VESA standards, PC & Macintosh					
	compatible; Speaker, 10W x1 Speaker,					
	Projection Distance - 0.5m to 3.4m, Imaze					
	Size – 39.9 ~ 299 inch.					
	Must be accompany with					
	(a) (01) One no Musical Amplifier (20 Watts					
	RMS output; 8' Heavy Duty Speaker; 3 Way					
	tone control base; Mid & Treble +10db, 3					
	inputs 2 channels for Guitar, keyboard & 1					
	Mic. (Low Impedence), Line out, Pre-out &					
	Hadphone; power supply : AC 230 V 50 HZ;					
	Dimension – 275(W) x 153 (D) x 300 (H).					
	(b) (01) One no Wired Microphone with 6					
	Mtr. Wire					
	(c) (01) One no UPS (1 KVA)					
Tot	al Amount in Rupees	1		I	<u> </u>	
	Total Amount in Word					
100	I Utai Amount III Wolu					

Declaration I, Sri/Smt. The Managing Director/Proprietor (etc.) of the declare as follows: 1. That I have not ever been convicted of any offence making myself liable to be disqualified to provide any goods/services/work to any Educational Institutions/Govt. or Govt. undertaking Organization /Institution in the State of West Bengal or other State or States. 2. That no case is pending against me or against my firm in any criminal court of law or blacklisted/debarred/banned to provide similar items to the Educational Institutions / Govt. or Govt. undertaking Organization / Institution in the State of West Bengal or other State or States (If any case is pending, state the details). 3. That, I also declare that if any information subsequently found incorrect or false will it automatically render the tender submitted by me cancelled and make me liable for penal/legal action as per law of the country. 4. That I do further affirm that the statements made by me in this tender are true to the best of my knowledge and belief and all the documents attached are genuine & correct. 5. I/We agree to supply the above goods/equipment/products in accordance with the technical specifications for Rs..... contract price of (Amount in figures) period specified in the invitation for Quotation. We confirm that the normal commercial warranty/guarantee of mentioned in this Quotation shall apply to the offered items and we also confirm to agree with terms and conditions as mentioned in the invitation letter. We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery. Certify that all above information are correct to the best of my/our information, knowledge and belief.

Signature of the Bidder	Date
Name	
Designation	
Seal	

Ref. No: 084/AU/REG/NIT/18-19 **Dated:** 10/01/2019

- 1. Chairman, Departmental Purchase Committee, Dept. of Islamic Theology, Aliah University
- 2. Notice Board at Aliah University.
- 3. Website: www.aliah.ac.in
- 4. One Bengali News paper
- 5. Guard File

Sd/-Registrar **Aliah University**